

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	4	"20030208454" "20030110058"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 15:00
S1	484	database SAME quer\$5 SAME (divid\$5 split\$5 covert\$5) SAME (multiple several different many plural)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 09:25
S2	2	"6052681".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 12:38
S3	4	("6052681" "5918207").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 12:39
S4	227	S1 AND optimi\$8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 12:53
S5	78	S4 AND @ad<"19991126"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 13:03
S6	0	S5 AND (LDAP "lightweight directory access protocol")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 13:02
S7	0	S5 AND ("x.500")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/01 11:23

S8	2	"6199062".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 13:03
S9	484	database SAME quer\$5 SAME (divid\$5 split\$5 covert\$5) SAME (multiple several different many plural)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/01 11:24
S10	227	S9 AND optimi\$8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/01 11:24
S11	78	S10 AND @ad<"19991126"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/01 11:24
S12	0	S11 AND "x.500"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/01 11:24
S13	2	database\$3 SAME quer\$5 SAME (eliminat\$5 remov\$5 delet\$5) SAME "not" SAME operator\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 13:13
S14	32	(apply\$5 follow\$3) SAME principle SAME logic\$3 SAME quer\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 14:59
S15	2566	database\$3 SAME search\$3 SAME logic\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 15:37

S16	896	S15 AND @ad<"19991126"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 15:43
S17	8	S14 AND @ad<"19991126"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 18:43
S18	148	S16 AND separat\$5 SAME quer\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 15:46
S19	76	S18 AND SQL	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 15:47
S20	60	multi\$3 ADJ tier\$3 SAME computer NEAR8 architecture	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 18:42
S21	32	S20 AND @ad<"20020123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 11:02
S22	0	S21 AND "clinical research data management"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 18:53
S23	0	S21 AND clinical SAME data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 18:53